



ELSEVIER

Comput. Methods Appl. Mech. Engrg. 148 (1997) 439–441

**Computer methods  
in applied  
mechanics and  
engineering**

## Author Index of Volume 148

- Akay, H.U. see Mascarenhas, W.J. 105–124  
Aurichio, F. see Masud, A. 23– 37
- Baranger, J. and Machmoum, A. Existence of approximate solutions and error bounds for viscoelastic fluid flow: Characteristics method 39– 52  
Bedair, O.K. Influence of in-plane restraint on the buckling behaviour of plates under uniform compression, shear and in-plane bending 1– 10  
Bedair, O.K. The application of mathematical programming techniques to the stability analysis of plate/stiffener assemblies 353–365  
Belytschko, T. see Krysl, P. 257–277  
Bitzarakis, S., Papadrakakis, M. and Kotsopoulos, A. Parallel solution techniques in computational structural mechanics 75–104  
Bloor, M.I.G. and Wilson, M.J. Generating parametrizations of wing geometries using partial differential equations 125–138
- Christon, M.A. A domain-decomposition message-passing approach to transient viscous incompressible flow using explicit time integration 329–352  
Christov, C.I., Pontes, J., Walgraef, D. and Velarde, M.G. Implicit time splitting for fourth-order parabolic equations 209–224  
Collino, P., Delbue, G., Joly, P. and Piacentini, A. A new interface condition in the non-overlapping domain decomposition method for the Maxwell equations 195–207
- Delbue, G. see Collino, P. 195–207  
DiSciuva, M. see Librescu, L. 165–186
- E, Q., Yang, G. and Li, F. Numerical solution for complete aircraft's subsonic-transonic-supersonic flow at high angles of attack 11– 21
- Fish, J., Shek, K., Pandheeradi, M. and Shephard, M.S. Computational plasticity for composite structures based on mathematical homogenization: Theory and practice 53– 73
- Gao, Q. and Li, L. Interpolated boundary conditions in plate bending problems using  $C^1$ -curved finite elements 235–255
- Hägglblad, H.-Å. see Svoboda, A. 299–314
- Icardi, U. see Librescu, L. 165–186
- Joly, P. see Collino, P. 195–207

- Karlsson, L. see Svoboda, A. 299-314
- Katsube, N. see Zhang, J. 225-234
- Kharab, A. An approximate method for the solution of a three-dimensional free boundary problem arising in hydraulics 187-194
- Kotsopoulos, A. see Bitzarakis, S. 75-104
- Krätzig, W.B. see Sorić, J. 315-328
- Krysl, P. and Belytschko, T. Element-free Galerkin method: Convergence of the continuous and discontinuous shape functions 257-277
- Lee, H.P. see Tan, T.H. 139-164
- Leng, G.S.B. see Tan, T.H. 139-164
- Li, F. see E, Q. 11-21
- Li, L. see Gao, Q. 235-255
- Librescu, L., Lin, W., DiSciuva, M. and Icardi, U. Postbuckling of laminated composite and sandwich plates and shells: On the significance of the fulfillment of static interlayer continuity conditions 165-186
- Lin, W. see Librescu, L. 165-186
- Machmoum, A. see Baranger, J. 39-52
- Mascarenhas, W.J., Akay, H.U. and Pikal, M.J. A computational model for finite element analysis of the freeze-drying process 105-124
- Masud, A., Panahandeh, M. and Aurichio, F. A finite-strain finite element model for the pseudoelastic behavior of shape memory alloys 23-37
- Mohammadi, B. and Pironneau, O. Unsteady separated turbulent flows computation with wall-laws and  $k - \epsilon$  model 393-405
- Montag, U. see Sorić, J. 315-328
- Oden, J.T. and Zohdi, T.I. Analysis and adaptive modeling of highly heterogeneous elastic structures 367-391
- Panahandeh, M. see Masud, A. 23-37
- Pandheeradi, M. see Fish, J. 53-73
- Papadrakakis, M. see Bitzarakis, S. 75-104
- Piacentini, A. see Collino, P. 195-207
- Pikal, M.J. see Mascarenhas, W.J. 105-124
- Pironneau, O. see Mohammadi, B. 393-405
- Pontes, J. see Christov, C.I. 209-224
- Reese, S. and Wriggers, P. A material model for rubber-like polymers exhibiting plastic deformation: computational aspects and a comparison with experimental results 279-298
- Shek, K. see Fish, J. 53-73
- Shephard, M.S. see Fish, J. 53-73
- Sorić, J., Montag, U. and Krätzig, W.B. An efficient formulation of integration algorithms for elastoplastic shell analysis based on layered finite element approach 315-328
- Svoboda, A., Häggblad, H.-Å. and Karlsson, L. Simulation of Hot Isostatic Pressing of a powder metal component with an internal core 299-314
- Tan, T.H., Lee, H.P. and Leng, G.S.B. Parametric instability of spinning pretwisted beams subjected to spin speed perturbation 139-164

- Velarde, M.G. see Christov, C.I. 209-224
- Vignjevic, R. A hybrid approach to the transient collapse analysis of thin walled frameworks I 407-421
- Vignjevic, R. A hybrid approach to the transient collapse analysis of thin walled frameworks II 423-438
- Walgraef, D. see Christov, C.I. 209-224
- Wilson, M.J. see Bloor, M.I.G. 125-138
- Wriggers, P. see Reese, S. 279-298
- Yang, G. see E, Q. 11- 21
- Zhang, J. and Katsube, N. A polygonal element approach to random heterogeneous media with rigid ellipses or elliptical voids 225-234
- Zohdi, T.I. see Oden, J.T. 367-391

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 3, 1862. It contains a report on the state of the Union and the progress of the war against the rebellion.

2. The second part of the document is a report from the Secretary of the Treasury, dated January 10, 1862. It contains a report on the state of the Treasury and the progress of the war against the rebellion.

3. The third part of the document is a report from the Secretary of the Interior, dated January 15, 1862. It contains a report on the state of the Interior and the progress of the war against the rebellion.

4. The fourth part of the document is a report from the Secretary of the Navy, dated January 20, 1862. It contains a report on the state of the Navy and the progress of the war against the rebellion.

5. The fifth part of the document is a report from the Secretary of the War, dated January 25, 1862. It contains a report on the state of the War and the progress of the war against the rebellion.

6. The sixth part of the document is a report from the Secretary of the State, dated January 30, 1862. It contains a report on the state of the State and the progress of the war against the rebellion.

7. The seventh part of the document is a report from the Secretary of the War, dated February 5, 1862. It contains a report on the state of the War and the progress of the war against the rebellion.

8. The eighth part of the document is a report from the Secretary of the State, dated February 10, 1862. It contains a report on the state of the State and the progress of the war against the rebellion.

9. The ninth part of the document is a report from the Secretary of the War, dated February 15, 1862. It contains a report on the state of the War and the progress of the war against the rebellion.

10. The tenth part of the document is a report from the Secretary of the State, dated February 20, 1862. It contains a report on the state of the State and the progress of the war against the rebellion.





ELSEVIER

Comput. Methods Appl. Mech. Engrg. 148 (1997) 443-447

**Computer methods  
in applied  
mechanics and  
engineering**

## Subject Index of Volume 148

### *Coupled problems*

- Simulation of Hot Isostatic Pressing of a powder metal component with an internal core,  
A. Svoboda, H.-Å. Häggblad and L. Karlsson 299-314

### *Dynamics*

- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation,  
T.H. Tan, H.P. Lee and G.S.B. Leng 139-164

### *Elasticity*

- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation,  
T.H. Tan, H.P. Lee and G.S.B. Leng 139-164
- A polygonal element approach to random heterogeneous media with rigid ellipses or  
elliptical voids, J. Zhang and N. Katsube 225-234
- A material model for rubber-like polymers exhibiting plastic deformation: computational  
aspects and a comparison with experimental results, S. Reese and P. Wriggers 279-298
- Analysis and adaptive modeling of highly heterogeneous elastic structures, J.T. Oden and  
T.I. Zohdi 367-391

### *Electromagnetic fields*

- A new interface condition in the non-overlapping domain decomposition method for the  
Maxwell equations, P. Collino, G. Delbue, P. Joly and A. Piacentini 195-207

### *Electronics*

- A polygonal element approach to random heterogeneous media with rigid ellipses or  
elliptical voids, J. Zhang and N. Katsube 225-234

### *Finite difference methods*

- Numerical solution for complete aircraft's subsonic-transonic-supersonic flow at high angles  
of attack, Q. E. G. Yang and F. Li 11- 21
- Implicit time splitting for fourth-order parabolic equations, C.I. Christov, J. Pontes,  
D. Walgraef and M.G. Velarde 209-224

### *Finite element and matrix methods*

- A finite-strain finite element model for the pseudoelastic behavior of shape memory alloys,  
A. Masud, M. Panahandeh and F. Aurichio 23- 37
- Computational plasticity for composite structures based on mathematical homogenization:  
Theory and practice, J. Fish, K. Shek, M. Pandheeradi and M.S. Shephard 53- 73
- A computational model for finite element analysis of the freeze-drying process,  
W.J. Mascarenhas, H.U. Akay and M.J. Pikal 105-124

- A new interface condition in the non-overlapping domain decomposition method for the Maxwell equations, P. Collino, G. Delbue, P. Joly and A. Piacentini 195-207
- A material model for rubber-like polymers exhibiting plastic deformation: computational aspects and a comparison with experimental results, S. Reese and P. Wriggers 279-298
- Simulation of Hot Isostatic Pressing of a powder metal component with an internal core, A. Svoboda, H.-Å. Häggblad and L. Karlsson 299-314
- An efficient formulation of integration algorithms for elastoplastic shell analysis based on layered finite element approach, J. Sorić, U. Montag and W.B. Krätzig 315-327
- A domain-decomposition message-passing approach to transient viscous incompressible flow using explicit time integration, M.A. Christon 329-352
- Unsteady separated turbulent flows computation with wall-laws and  $k - \varepsilon$  model, B. Mohammadi and O. Pironneau 393-405
- Fluid mechanics*
- An approximate method for the solution of a three-dimensional free boundary problem arising in hydraulics, A. Kharab 187-194
- A domain-decomposition message-passing approach to transient viscous incompressible flow using explicit time integration, M.A. Christon 329-352
- Unsteady separated turbulent flows computation with wall-laws and  $k - \varepsilon$  model, B. Mohammadi and O. Pironneau 393-405
- General Rayleigh-Ritz and Galerkin techniques*
- A polygonal element approach to random heterogeneous media with rigid ellipses or elliptical voids, J. Zhang and N. Katsube 225-234
- Element-free Galerkin method: Convergence of the continuous and discontinuous shape functions, P. Krysl and T. Belytschko 257-277
- Heat and diffusion*
- Implicit time splitting for fourth-order parabolic equations, C.I. Christov, J. Pontes, D. Walgraef and M.G. Velarde 209-224
- Simulation of Hot Isostatic Pressing of a powder metal component with an internal core, A. Svoboda, H.-Å. Häggblad and L. Karlsson 299-314
- Incompressible and near incompressible media*
- Existence of approximate solutions and error bounds for viscoelastic fluid flow: Characteristics method, J. Baranger and A. Machmoum 39- 52
- A material model for rubber-like polymers exhibiting plastic deformation: computational aspects and a comparison with experimental results, S. Reese and P. Wriggers 279-298
- A domain-decomposition message-passing approach to transient viscous incompressible flow using explicit time integration, M.A. Christon 329-352
- Unsteady separated turbulent flows computation with wall-laws and  $k - \varepsilon$  model, B. Mohammadi and O. Pironneau 393-405
- Kinematics*
- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation, T.H. Tan, H.P. Lee and G.S.B. Leng 139-164
- Miscellaneous topics*
- A computational model for finite element analysis of the freeze-drying process, W.J. Mascarenhas, H.U. Akay and M.J. Pikal 105-124

*Nonlinear dynamics of systems*

- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation,  
T.H. Tan, H.P. Lee and G.S.B. Leng 139-164

*Nonlinear mechanics*

- A finite-strain finite element model for the pseudoelastic behavior of shape memory alloys,  
A. Masud, M. Panahandeh and F. Aurichio 23- 37
- Existence of approximate solutions and error bounds for viscoelastic fluid flow:  
Characteristics method, J. Baranger and A. Machmoum 39- 52
- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation,  
T.H. Tan, H.P. Lee and G.S.B. Leng 139-164
- A material model for rubber-like polymers exhibiting plastic deformation: computational  
aspects and a comparison with experimental results, S. Reese and P. Wriggers 279-298
- Simulation of Hot Isostatic Pressing of a powder metal component with an internal core,  
A. Svoboda, H.-Å. Häggblad and L. Karlsson 299-314

*Numerical solution procedures*

- A finite-strain finite element model for the pseudoelastic behavior of shape memory alloys,  
A. Masud, M. Panahandeh and F. Aurichio 23- 37
- Parallel solution techniques in computational structural mechanics, S. Bitzarakis,  
M. Papadrakakis and A. Kotsopoulos 75-104
- A computational model for finite element analysis of the freeze-drying process,  
W.J. Mascarenhas, H.U. Akay and M.J. Pikal 105-124
- Generating parametrizations of wing geometries using partial differential equations,  
M.I.G. Bloor and M.J. Wilson 125-138
- A new interface condition in the non-overlapping domain decomposition method for the  
Maxwell equations, P. Collino, G. Delbue, P. Joly and A. Piacentini 195-207
- Element-free Galerkin method: Convergence of the continuous and discontinuous shape  
functions, P. Krysl and T. Belytschko 257-277
- An efficient formulation of integration algorithms for elastoplastic shell analysis based on  
layered finite element approach, J. Sorić, U. Montag and W.B. Krätzig 315-327

*Plasticity*

- A finite-strain finite element model for the pseudoelastic behavior of shape memory alloys,  
A. Masud, M. Panahandeh and F. Aurichio 23- 37
- Computational plasticity for composite structures based on mathematical homogenization:  
Theory and practice, J. Fish, K. Shek, M. Pandheeradi and M.S. Shephard 53- 73
- A material model for rubber-like polymers exhibiting plastic deformation: computational  
aspects and a comparison with experimental results, S. Reese and P. Wriggers 279-298
- An efficient formulation of integration algorithms for elastoplastic shell analysis based on  
layered finite element approach, J. Sorić, U. Montag and W.B. Krätzig 315-327

*Problems in physics*

- Implicit time splitting for fourth-order parabolic equations, C.I. Christov, J. Pontes,  
D. Walgraef and M.G. Velarde 209-224

*Shells and plates*

- Influence of in-plane restraint on the buckling behaviour of plates under uniform  
compression, shear and in-plane bending, O.K. Bedair 1- 10



- Postbuckling of laminated composite and sandwich plates and shells: On the significance of the fulfillment of static interlayer continuity conditions, L. Librescu, W. Lin, M. DiSciuva, U. Icardi 165-186
- An efficient formulation of integration algorithms for elastoplastic shell analysis based on layered finite element approach, J. Sorić, U. Montag and W.B. Krätzig 315-327
- Solutions of ordinary and partial differential equations*
- Generating parametrizations of wing geometries using partial differential equations, M.I.G. Bloor and M.J. Wilson 125-138
- A new interface condition in the non-overlapping domain decomposition method for the Maxwell equations, P. Collino, G. Delbue, P. Joly and A. Piacentini 195-207
- Spline approximation*
- Generating parametrizations of wing geometries using partial differential equations, M.I.G. Bloor and M.J. Wilson 125-138
- Stability in structural mechanics*
- Influence of in-plane restraint on the buckling behaviour of plates under uniform compression, shear and in-plane bending, O.K. Bedair 1- 10
- Postbuckling of laminated composite and sandwich plates and shells: On the significance of the fulfillment of static interlayer continuity conditions, L. Librescu, W. Lin, M. DiSciuva, U. Icardi 165-186
- Structural mechanics*
- Parallel solution techniques in computational structural mechanics, S. Bitzarakis, M. Papadrakakis and A. Kotsopoulos 75-104
- Parametric instability of spinning pretwisted beams subjected to spin speed perturbation, T.H. Tan, H.P. Lee and G.S.B. Leng 139-164
- Postbuckling of laminated composite and sandwich plates and shells: On the significance of the fulfillment of static interlayer continuity conditions, L. Librescu, W. Lin, M. DiSciuva, U. Icardi 165-186
- Analysis and adaptive modeling of highly heterogeneous elastic structures, J.T. Oden and T.I. Zohdi 367-391
- Subsonic flow*
- Numerical solution for complete aircraft's subsonic-transonic-supersonic flow at high angles of attack, Q. E. G. Yang and F. Li 11- 21
- Supersonic flow*
- Numerical solution for complete aircraft's subsonic-transonic-supersonic flow at high angles of attack, Q. E. G. Yang and F. Li 11- 21
- Systems of linear and nonlinear simultaneous equations*
- Parallel solution techniques in computational structural mechanics, S. Bitzarakis, M. Papadrakakis and A. Kotsopoulos 75-104
- Transonic flow*
- Numerical solution for complete aircraft's subsonic-transonic-supersonic flow at high angles of attack, Q. E. G. Yang and F. Li 11- 21



*Turbulence*

- An approximate method for the solution of a three-dimensional free boundary problem arising in hydraulics, A. Kharab 187-194
- Unsteady separated turbulent flows computation with wall-laws and  $k - \varepsilon$  model, B. Mohammadi and O. Pironneau 393-405

*Viscoelastic and viscoplastic media*

- Existence of approximate solutions and error bounds for viscoelastic fluid flow: Characteristics method, J. Baranger and A. Machmoum 39- 52
- Simulation of Hot Isostatic Pressing of a powder metal component with an internal core, A. Svoboda, H.-Å. Häggblad and L. Karlsson 299-314

*Viscous flow*

- A domain-decomposition message-passing approach to transient viscous incompressible flow using explicit time integration, M.A. Christon 329-352
- Unsteady separated turbulent flows computation with wall-laws and  $k - \varepsilon$  model, B. Mohammadi and O. Pironneau 393-405



